

Lampiran Peraturan Menteri Pertanian

Nomor : 37/Kpts/HK.060/1/2006

Tanggal : 27 Januari 2006

**DAFTAR BUAH DAN SAYURAN BUAH SEGAR, INANG,
ORGANISME PENGGANGGU TUMBUHAN KARANTINA, DAERAH SEBAR DAN MEDIA PEMBAWANYA**

**List of Fruit flies Associated with Fruits and Countries's Distribution
(Annex 1 of The Ministry of Agriculture Regulation)**

NO.	INANG (HOSTS)	ORGANISME PENGGANGGU TUMBUHAN KARANTINA (QUARANTINE PEST)	DAERAH SEBAR (DISTRIBUTION AREA)	MEDIA PEMBAWA (CARRIER)
1	Alpoket (Avocado), <i>Persea americana</i>	<p><i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Alpoket (Avocado Fruit), <i>Persea americana</i> dan Tanah (soil)
		<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, USA.</p>	
		<p><i>Anastrepha serpentina</i> Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotoxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	<p>America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Equador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela</p>	

	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
	<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
	<p><i>Bactrocera passiflorae</i> (Frog); (= <i>Bactrocera passiflorae</i> = <i>Chaetodacus passiflorae</i> = <i>Dacus passiflorae</i> = <i>Strumeta passiflorae</i>); Diptera: Tephritidae; Fijian fruitfly</p>	<p>Oceania: Fiji, Niue, Tonga, Tuvalu, Wallis-Futuna</p>	
	<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	
	<p><i>Bactrocera kinabalu</i> Drew & Hancock; Diptera: Tephritidae; Kinabalu fruitfly</p>	<p>Asia: Malaysia</p>	
	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
	<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Congo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya,</p>	

			<p>Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nicaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia.</p>	
		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P.giffardi</i> = <i>P.giffardi</i> var. <i>sarcocephali</i> = <i>P.parinarii</i> = <i>P.sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango fruitfly, marula fruitfly</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagaskar, Malawi, Mali, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe.</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly.</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
2	<p>Anggur (Grape), <i>Vitis vinifera</i></p>	<p><i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotaxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A.soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	<p>Buah Anggur (Grape Fruit), <i>Vitis vinifera</i> dan Tanah (soil)</p>

		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia.</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	

3	Apel (Apple), <i>Pyrus malus</i> , <i>Malus domesticum</i>	<p>Anastrepha fraterculus (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Apel (Apple Fruit), <i>Pyrus malus</i> , <i>Malus domesticum</i> dan Tanah (soil)
		<p>Anastrepha ludens (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	
		<p>Anastrepha serpentina Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotoxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	<p>America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela</p>	
		<p>Anastrepha suspensa Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
		<p>Bactrocera jarvisi (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
		<p>Bactrocera tryoni (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	

		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Congo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nicaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia.</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
		<p><i>Rhagoletis cerasi</i> L.; (= <i>Musca cerasi</i> = <i>Rhagoletis cerasi fasciata</i> = <i>R. cerasi nigripes</i> = <i>R. cerasi obsoleta</i> = <i>R. obsoleta</i> = <i>Spilographa cerasi</i> = <i>Tephritis cerasi</i> = <i>Trypeta signata</i> = <i>Urophora cerasorum</i> = <i>Urophora liturata</i>); Diptera: Tephritidae; European ceri fly, ceri fruitfly</p>	<p>Asia: Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan Europe: Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia.</p>	

		<i>Rhagoletis cingulata</i> (Loew.); (= <i>Trypeta cingulata</i>); Diptera: Tephritidae; ceri fruitfly	America : Canada, Mexico, USA.	
		<i>Rhagoletis fausta</i> Osten Sacken; (= <i>Acidia fausta</i> = <i>Rhagoletis intrudens</i> = <i>Trypeta (Acidia) fausta</i> = <i>T. fausta</i>); Diptera: Tephritidae; black (dark) ceri fruitfly	America : Canada, USA	
		<i>Rhagoletis pomonella</i> Walsh.; (= <i>Rhagoletis symphoricarpi</i> = <i>Spilograpta pomonella</i> = <i>Trypeta pomonella</i> = <i>Zonosema pomonella</i>); Diptera: Tephritidae; apple maggot fly, railroad worm.	America : Canada, Mexico, USA	
		<i>Rioxa pornia</i> (Welder.); Diptera: Tephritidae; Icelandian fruitfly	Oceania : Australia, , France Polynesia, New Caledonia, Fiji, Samoa America.	
4	Aprikot (Apricot), <i>Prunus armeniaca</i> , <i>P. americana</i>	<i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Aprikot (Apricot Fruit), <i>Prunus armeniaca</i> , <i>P. americana</i> dan Tanah (soil)
		<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia	
		<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	

		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tomé & Príncipe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia.</p>	
		<p><i>Ceratitis quinaria</i> (Bezzi); (= <i>Pardalaspis quinaria</i>); Diptera: Tephritidae; Rhodesian fruitfly</p>	<p>Asia: Yemen Africa: Botswana, Malawi, Namibia, South Africa, Sudan, Zimbabwe</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	
		<p><i>Rhagoletis cerasi</i> L.; (= <i>Musca cerasi</i> = <i>Rhagoletis cerasi fasciata</i> = <i>R. cerasi nigripes</i> = <i>R. cerasi obsoleta</i> = <i>R. obsoleta</i> = <i>Spilographa cerasi</i> = <i>Tephritis cerasi</i> = <i>Trypeta signata</i>)</p>	<p>Asia: Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan Europe: Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France,</p>	

		<p><i>=Urophora cerasorum =Urophora liturata</i>); Diptera: Tephritidae; European ceri fly, ceri fruitfly</p>	Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia.	
		<p><i>Rhagoletis cingulata</i> (Loew.); (= <i>Trypeta cingulata</i>); Diptera: Tephritidae; ceri fruitfly</p>	America : Canada, Mexico, USA.	
		<p><i>Rhagoletis fausta</i> Osten Sacken; (= <i>Acidia fausta =Rhagoletis intrudens =Trypeta (Acidia) fausta =T.fausta</i>); Diptera: Tephritidae; black (dark) ceri fruitfly</p>	America : Canada, USA	
		<p><i>Rhagoletis pomonella</i> Walsh.; (= <i>Rhagoletis symphoricarpi =Spilographa pomonella =Trypeta pomonella =Zonosema pomonella</i>); Diptera: Tephritidae; apple maggot fly, railroad worm.</p>	America : Canada, Mexico, USA	
5	Arbei (Strawberry), <i>Fragaria vesca</i>	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus =Anastrepha braziliensis =Anthomyia frutalis =Dacus fraterculus =Tephritis mellea =Trypeta fraterculus =Trypeta unicolor =Anastrepha peruviana =A.soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Arbei (Strawberry Fruit), <i>Fragaria vesca</i> dan Tanah (soil)
6	Belimbing (Carambola, Star fruit), <i>Averrhoa carambola</i>	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus =Anastrepha braziliensis =Anthomyia frutalis =Dacus fraterculus =Tephritis mellea =Trypeta fraterculus =Trypeta unicolor =Anastrepha peruviana =A.soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Belimbing (Carambola, Star fruit), <i>Averrhoa carambola</i> dan Tanah (soil)

	<p>Anastrepha obliqua (Macq); (=Acrotoxa obliqua =Anastrepha fraterculus var. ligata =A.fraterculus var. mombinpraeoptans =A.mombinpraeoptans =Tephritis obliqua =A.acudisa =A. trinidadensis =Trypeta obliqua); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Virgin Island, Venezuela.</p>	
	<p>Anastrepha suspensa Loew.; (=Anastrepha unipuncta =Trypeta suspensa); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
	<p>Bactrocera jarvisi (Tryon.); (=Afrodacus jarvisi =Dacus jarvisi =D.australis =Chaetodacus jarvisi); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
	<p>Bactrocera kandiensis Drew & Hancock; (=Bactrocera sp. near dorsalis); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	
	<p>Bactrocera philippinensis Drew & Hancock; Diptera: Tephritidae; Phillippines fruitfly</p>	<p>Asia: The Phillipines</p>	
	<p>Bactrocera tryoni (Frog.); (=Bactrocera tryoni =Chaetodacus sarcocephali =Chaetodacus tryoni =Dacus tryoni =D.ferrugineus tryoni =Strumeta melas =Strumeta tryoni =Tephritis tryoni); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
	<p>Ceratitis rosa Karsch.; (=Pterandrus rosa); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South</p>	

			Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
7	Cabai (Red pepper, Bell pepper, Chilies), <i>Capsicum annuum</i>	<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D.ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.	Buah Cabai (Red pepper Fruit, Bell pepper Fruit, Chilies Fruit), <i>Capsicum annuum</i> dan Tanah (soil)
		<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nicaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia.	
		<i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly	Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.	

8	Ceri (Cherry), <i>Prunus cerasus</i> , <i>P. avium</i>	<i>Anastrepha serpentina</i> Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotaxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Equador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	Buah Ceri (Cherry Fruit), <i>Prunus cerasus</i> , <i>P. avium</i> dan Tanah (soil)
		<i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	
		<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	
		<i>Rhagoletis cerasi</i> L.; (= <i>Musca cerasi</i> = <i>Rhagoletis cerasi fasciata</i> = <i>R. cerasi nigripes</i> = <i>R. cerasi obsoleta</i> = <i>R. obsoleta</i> = <i>Spilographa cerasi</i> = <i>Tephritis cerasi</i> = <i>Trypeta signata</i> = <i>Urophora cerasorum</i> = <i>Urophora liturata</i>); Diptera: Tephritidae; European ceri fly, ceri fruitfly	Asia : Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan Europe : Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia.	
		<i>Rhagoletis cingulata</i> (Loew.); (= <i>Trypeta cingulata</i>); Diptera: Tephritidae; ceri fruitfly	America : Canada, Mexico, USA.	
		<i>Rhagoletis fausta</i> Osten Sacken; (= <i>Acidia fausta</i> = <i>Rhagoletis intrudens</i> = <i>Trypeta (Acidia) fausta</i> = <i>T. fausta</i>); Diptera: Tephritidae; black (dark) ceri fruitfly	America : Canada, USA	

		<i>Rhagoletis pomonella</i> Walsh.; (= <i>Rhagoletis symphoricarpi</i> = <i>Spilographa pomonella</i> = <i>Trypeta pomonella</i> = <i>Zonosema pomonella</i>); Diptera: Tephritidae; apple maggot fly, railroad worm.	America : Canada, Mexico, USA	
9	Delima (Pomegranate) , <i>Punica granatum</i>	<i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Delima (Pomegranate Fruit), <i>Punica granatum</i> dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, US	
		<i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Carribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	
		<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia	
		<i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly	Asia : Sri Lanka	
		<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe : Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia : Israel, Yordania, Lebanon, Saudi Arabia,	

			<p>Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia.</p>	
10	Fig (Fig), <i>Ficus carica</i>	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Fig (Fig Fruit), <i>Ficus carica</i> dan Tanah (soil)
		<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	

11	Jambu air (Star apple), <i>Eugenia</i> (= <i>Syzygium</i>) <i>aquea</i>	<p><i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Jambu air (Star apple Fruit), <i>Eugenia</i> (= <i>Syzygium</i>) <i>aquea</i> dan Tanah (soil)
		<p><i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i> = <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Ecuador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Kep Virgin, Venezuela.</p>	
		<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, US</p>	
		<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
		<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
		<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. <i>near dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	

		<p>Bactrocera psidii (Frog); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly</p>	Oceania: New Caledonia	
		<p>Bactrocera tryoni (Frog); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	Oceania: Australia, Polynesia France, New Caledonia.	
		<p>Ceratitis capitata Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia.</p>	
12	Jambu biji (Guava), <i>Psidium guajava</i>	<p>Anastrepha fraterculus (Wied).; (= <i>Acrotaxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i></p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-</p>	<p>Buah Jambu air (Star apple Fruit), <i>Eugenia</i> (= <i>Syzigium</i>) <i>aquea</i> dan Tanah (soil)</p>

	<p>=<i>Trypeta fraterculus</i> =<i>Trypeta unicolor</i> =<i>Anastrepha peruviana</i> =<i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	Tobago, USA, Uruguay, Venezuela.	
	<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> =<i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
	<p><i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> =<i>Anastrepha fraterculus</i> var. <i>ligata</i> =<i>A. fraterculus</i> var. <i>mombinpraeoptans</i> =<i>A. mombinpraeoptans</i> =<i>Tephritis obliqua</i> =<i>A. acudisa</i> =<i>A. trinidadensis</i> =<i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Kep Virgin, Venezuela	
	<p><i>Anastrepha serpentina</i> Wied.; (= <i>Dacus</i> <i>serpentinus</i> =<i>Leptoxys serpentina</i> =<i>Acrotoxa</i> <i>serpentinus</i> =<i>Trypeta serpentina</i> =<i>Urophora</i> <i>vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Equador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	
	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha</i> <i>unipuncta</i> =<i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	
	<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> =<i>Dacus jarvisi</i> =<i>D. australis</i> =<i>Chaetodacus</i> <i>jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	Oceania : Australia	

	<i>Bactrocera caryeae</i> (Kapoor); Diptera: Tephritidae; Indian fruitfly	Asia: India, Sri Lanka.
	<i>Bactrocera passiflorae</i> (Frog); (= <i>Bactrocera passiflorae</i> = <i>Chaetodacus passiflorae</i> = <i>Dacus passiflorae</i> = <i>Strumeta passiflorae</i>); Diptera: Tephritidae; Fijian fruitfly	Oceania: Fiji, Niue, Tonga, Tuvalu, Wallis-Futuna.
	<i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly	Asia: Sri Lanka
	<i>Bactrocera philippinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly	Asia: The Philippines
	<i>Bactrocera psidii</i> (Frog); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly	Oceania: New Caledonia
	<i>Bactrocera pyrifolia</i> Drew & Hancock; Diptera: Tephritidae; pyrifolia fruitfly	Asia: Thailand
	<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.
	<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina

			<p>Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nicaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>	
		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P.giffardi</i> = <i>P.giffardi</i> var. <i>sarcocephali</i> = <i>P.parinarii</i> = <i>P.sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango fruitfly, marula fruitfly</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagaskar, Malawi, Mali, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe</p>	
		<p><i>Ceratitis punctata</i> (Wied.); (= <i>Pardalaspis punctata</i> = <i>P.senegalensis</i> = <i>Tephritis senegalensis</i>); Diptera: Tephritidae; cacao fruitfly</p>	<p>Africa: Cameroon, Democratic Republic of Congo, Kongo, Ghana, Kenya, Senegal, Sierra Leone, South Africa, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
		<p><i>Ceratitis quinaria</i> (Bezzi); (= <i>Pardalaspis quinaria</i>); Diptera: Tephritidae; Rhodesian fruitfly</p>	<p>Asia: Yemen</p> <p>Africa: Botswana, Malawi, Namibia, South Africa, Sudan, Zimbabwe</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	

13	Jenis Jambu-jambuan lainnya, <i>Eugenia</i> spp., <i>Syzigium</i> spp.	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Jenis Buah Jambu-jambuan lainnya, <i>Eugenia</i> spp., <i>Syzigium</i> spp. dan Tanah (soil)
		<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	
		<p><i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i> = <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Ecuador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela</p>	
		<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
		<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
		<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	

		<p><i>Bactrocera philipinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly</p>	<p>Asia: The Philippines</p>	
		<p><i>Bactrocera psidii</i> (Frog.); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly</p>	<p>Oceania: New Caledonia</p>	
		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	

		<i>Ceratitis rosa</i> Karsch.; (=Pterandrus rosa); Diptera: Tephritidae; Natal fruitfly	Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
14	Jeruk (Orange), <i>Citrus</i> spp.	<i>Anastrepha fraterculus</i> (Wied.); (=Acrotoxa fraterculus =Anastrepha braziliensis =Anthomyia frutalis =Dacus fraterculus =Tephritis mellea =Trypeta fraterculus =Trypeta unicolor =Anastrepha peruviana =A. soluta); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Jeruk (Orange Fruit), <i>Citrus</i> spp. dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (=Acrotoxa ludens =Trypeta ludens); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
		<i>Anastrepha obliqua</i> (Macq); (=Acrotoxa obliqua =Anastrepha fraterculus var. ligata =A. fraterculus var. mombinpraeoptans =A. mombinpraeoptans =Tephritis obliqua =A. acudisa =A. trinidadensis =Trypeta obliqua); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Ecuador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela	
		<i>Anastrepha serpentina</i> Wied.; (=Dacus serpentinus =Leptoxys serpentina =Acrotoxa serpentinus =Trypeta serpentina =Urophora vittithorax); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	

	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Carribean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
	<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
	<p><i>Bactrocera caryeae</i> (Kapoor); Diptera: Tephritidae; Indian fruitfly</p>	<p>Asia: India, Sri Lanka.</p>	
	<p><i>Bactrocera curvipennis</i> (Frog); (= <i>Bactrocera curvipennis</i> = <i>Chaetodacus curvipennis</i> = <i>Dacus curvipennis</i> = <i>Strumeta curvipennis</i>); Diptera: Tephritidae; banana fruitfly</p>	<p>Oceania: New Caledonia, Vanuatu</p>	
	<p><i>Bactrocera passiflorae</i> (Frog); (= <i>Bactrocera passiflorae</i> = <i>Chaetodacus passiflorae</i> = <i>Dacus passiflorae</i> = <i>Strumeta passiflorae</i>); Diptera: Tephritidae; Fijian fruitfly</p>	<p>Oceania: Fiji, Niue, Tonga, Tuvalu, Wallis-Futuna.</p>	
	<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	
	<p><i>Bactrocera philipinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly</p>	<p>Asia: The Philippines</p>	
	<p><i>Bactrocera psidii</i> (Frog); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly</p>	<p>Oceania: New Caledonia</p>	

		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Bactrocera tsuneonis</i> (Miyake); (= <i>Dacus cheni</i> = <i>D. tsuneonis</i> = <i>Tetradacus tsuneonis</i>); Diptera: Tephritidae; Japanese orange fly, citrus fruitfly</p>	<p>Asia: Cina, Japan, Vietnam</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federaton, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P. giffardi</i> = <i>P. giffardi</i> var. <i>sarcocephali</i> = <i>P. parinarii</i> = <i>P. sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagascar, Malawi, Mali, Mozambique, Nigeria, Senegal,</p>	

		fruitfly, marula fruitfly	Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe	
		<i>Ceratitis quinaria</i> (Bezzi); (=Pardalaspis quinaria); Diptera: Tephritidae; Rhodesian fruitfly	Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
		<i>Ceratitis rosa</i> Karsch.; (=Pterandrus rosa); Diptera: Tephritidae; Natal fruitfly	Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
		<i>Rioxa pornia</i> (Welder.); Diptera: Tephritidae; Icelandian fruitfly	Oceania: Australia, , France Polynesia, New Caledonia, Fiji, Samoa America	
15	Kedondong (Ottaheite or Golden Apple), <i>Spondias</i> spp.	<i>Anastrepha fraterculus</i> (Wied.); (=Acrotoxa fraterculus =Anastrepha braziliensis =Anthomyia frutalis =Dacus fraterculus =Tephritis mellea =Trypeta fraterculus =Trypeta unicolor =Anastrepha peruviana =A. soluta); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Kedondong (Ottaheite or Golden Apple Fruit), <i>Spondias</i> spp.dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (=Acrotoxa ludens =Trypeta ludens); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
		<i>Anastrepha obliqua</i> (Macq); (=Acrotoxa obliqua =Anastrepha fraterculus var. ligata =A.fraterculus var. mombinpraeoptans =A.mombinpraeoptans =Tephritis obliqua =A.acudisa =A. trinidadensis =Trypeta obliqua); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts	

		& Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela	
	<i>Anastrepha serpentina</i> Wied.; (=Dacus serpentinus =Leptoxys serpentina =Acrotoxa serpentinus =Trypeta serpentina =Urophora vittithorax); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	
	<i>Anastrepha suspensa</i> Loew.; (=Anastrepha unipuncta =Trypeta suspensa); Diptera: Tephritidae; Caribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	
	<i>Bactrocera jarvisi</i> (Tryon.); (=Afrodacus jarvisi =Dacus jarvisi =D.australis =Chaetodacus jarvisi); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia	
	<i>Bactrocera kandiensis</i> Drew & Hancock; (=Bactrocera sp. near dorsalis); Diptera: Tephritidae; Sri Lankan fruitfly	Asia : Sri Lanka	
	<i>Bactrocera philippinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly	Asia : The Philippines	
	<i>Bactrocera tryoni</i> (Frog.); (=Bactrocera tryoni =Chaetodacus sarcocephali =Chaetodacus tryoni =Dacus tryoni =D.ferrugineus tryoni =Strumeta melas =Strumeta tryoni =Tephritis tryoni); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	
	<i>Ceratitis capitata</i> Wied; (=Ceratitis citriperda =Ceratitis hispanica =Tephritis capitata); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe : Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia : Israel, Yordania, Lebanon, Saudi Arabia,	

			<p>Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>	
16	Kesemek (Persimmon), <i>Diospyros kaki</i>	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Kesemek (Persimmon Fruit), <i>Diospyros kaki</i> dan Tanah (soil)
		<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	
		<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Carribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	

		<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D.australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania: Australia	
		<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D.ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.	
17	Kiwi (Kiwi), <i>Actinidia deliciosa</i>	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A.soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela	Buah Kiwi (Kiwi Fruit), <i>Actinidia deliciosa</i> dan Tanah (soil)
18	Kopi buah segar (fresh coffee berry), <i>Coffea</i> spp.	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A.soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Kopi buah segar (fresh coffee berry), <i>Coffea</i> spp dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
		<i>Anastrepha obligua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A.fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A.mombinpraeoptans</i>)	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Equador, Grenada,	

	<p>=<i>Tephritis obliqua</i> =<i>A. acudisa</i> =<i>A. trinidadensis</i> =<i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Kep Virgin, Venezuela</p>
	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>
	<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nicaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>
	<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South</p>

			Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
19	Kwinsi (Quince), <i>Cydonia oblonga</i>	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Kwinsi (Quince Fruit), <i>Cydonia oblonga</i> dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
		<i>Anastrepha serpentina</i> Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotoxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	
		<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia	
		<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	
		<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe : Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia.	

			<p>Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	
20	<p>Kurma buah segar (Fresh dates), <i>Phoenix dactylifera</i></p>	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	<p>Kurma buah segar (Fresh Fruit dates), <i>Phoenix dactylifera</i> dan Tanah (soil)</p>
	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>		

		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia.</p> <p>Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>	
21	<p>Kumkwat (Kumquat), <i>Fortunella japonica</i></p>	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	<p>Buah Kumkwat (Kumquat Fruit), <i>Fortunella japonica</i> dan Tanah (soil)</p>
	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Carribean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>		

		<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	Oceania: Australia	
		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	Oceania: Australia, Polynesia France, New Caledonia.	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
22	Labu parang (Pumpkin), <i>Cucurbita moschata</i>	<p><i>Bactrocera ciliatus</i> Loew.; (= <i>Dacus caryae</i>); Diptera: Tephritidae; lesser melon fly</p>	<p>Asia: Pakistan, India, Bangladesh, Sri Lanka, Saudi Arabia, Yaman, Iran Africa: Angola, Botswana, Cameroon, Chad,</p>	Buah Labu parang (Pumpkin Fruit), <i>Cucurbita moschata</i> dan Tanah (soil)

		<i>Bactrocera depressa</i> (Shiraki); (= <i>Bactrocera</i> (<i>Paradacus</i>) <i>depressa</i> = <i>B. depressus</i> = <i>Dacus depressus</i> = <i>Paradacus depressus</i> = <i>Zeugodacus depressus</i>); Diptera: Tephritidae; fruitfly	Dahomey, Egypt, Ethiopia, Ghana, Guinea, Kenya, Lesotho, Malawi, Mozambique, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Northwest Africa, Sudan, Tanzania, Uganda, Zaire, Zambia, Zimbabwe, Madagascar, Mauritius, Reunion Asia: Cina (Taiwan), Japan, Korea	
23	Leci (Litchi), <i>Nephelium litchi</i> , <i>Litchi sinensis</i>	<i>Ceratitidis capitata</i> Wied; (= <i>Ceratitidis citriperda</i> = <i>Ceratitidis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia	Buah Leci (Litchi Fruit), <i>Nephelium litchi</i> , <i>Litchi sinensis</i> dan Tanah (soil)
24	Lokwat (Loquat), <i>Eriobotrya japonica</i>	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotaxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia</i>	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico,	Buah Lokwat (Loquat Fruit), <i>Eriobotrya japonica</i> dan Tanah (soil)

		<p><i>frutalis</i> =<i>Dacus fraterculus</i> =<i>Tephritis mellea</i> =<i>Trypeta fraterculus</i> =<i>Trypeta unicolor</i> =<i>Anastrepha peruviana</i> =<i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p> <p>Anastrepha obliqua (Macq); (=Acrotoxa obliqua =Anastrepha fraterculus var. ligata =A.fraterculus var. mombinpraeoptans =A.mombinpraeoptans =Tephritis obliqua =A.acudisa =A. trinidadensis =Trypeta obliqua); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>Panama, Paraguay, Peru, Suriname, Trinidad- Tobago, USA, Uruguay, Venezuela.</p> <p>America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Ecuador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela</p>	
		<p>Anastrepha serpentina Wied.; (=Dacus <i>serpentinus</i> =<i>Leptoxys serpentina</i> =<i>Acrotoxa</i> <i>serpentinus</i> =<i>Trypeta serpentina</i> =<i>Urophora</i> <i>vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	<p>America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela</p>	
		<p>Bactrocera tryoni (Frog.); (=Bactrocera tryoni =Chaetodacus sarcocephali =Chaetodacus tryoni =Dacus tryoni =D.ferrugineus tryoni =Strumeta melas =Strumeta tryoni =Tephritis tryoni); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p>Ceratitis capitata Wied; (=Ceratitis citriperda =Ceratitis hispanica =Tephritis capitata); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea,</p>	

			Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania : Australia	
		<i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly	Africa : Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
25	Mangga, (Mango), <i>Mangifera indica</i>	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Mangga, (Mango Fruit), <i>Mangifera indica</i> dan Tanah (soil)
		<i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	
		<i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i>)	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras,	

	= <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly	Jamaica, Martinique, Mexico, Montserrat, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela	
	<i>Anastrepha serpentina</i> Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotoxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	
	<i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	
	<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia	
	<i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly	Asia : Sri Lanka	
	<i>Bactrocera philipinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly	Asia : The Philippines	
	<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	
	<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera:	Europe : Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation,	

		Tephritidae; Mediterranean fruitfly, medfly	Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia	
		<i>Bactrocera caryeae</i> (Kapoor); Diptera: Tephritidae; Indian fruitfly	Asia: India, Sri Lanka.	
		<i>Bactrocera curvipennis</i> (Frog); (= <i>Bactrocera curvipennis</i> = <i>Chaetodacus curvipennis</i> = <i>Dacus curvipennis</i> = <i>Strumeta curvipennis</i>); Diptera: Tephritidae; banana fruitfly	Oceania: New Caledonia, Vanuatu	
		<i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly	Asia: Sri Lanka	
		<i>Bactrocera psidii</i> (Frog); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly	Oceania: New Caledonia	

		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P. giffardi</i> = <i>P. giffardi</i> var. <i>sarcocephali</i> = <i>P. parinarii</i> = <i>P. sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango fruitfly, marula fruitfly</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagaskar, Malawi, Mali, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe.</p>	
		<p><i>Ceratitis punctata</i> (Wied.); (= <i>Pardalaspis punctata</i> = <i>P. senegalensis</i> = <i>Tephritis senegalensis</i>); Diptera: Tephritidae; cacao fruitfly</p>	<p>Africa: Cameroon, Democratic Republic of Congo, Kongo, Ghana, Kenya, Senegal, Sierra Leone, South Africa, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	
26	Manggis (Mangosteen), <i>Garcinia mangostana</i>	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Carribean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	Buah Manggis (Mangosteen Fruit), <i>Garcinia mangostana</i> dan Tanah (soil)
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali,</p>	

			Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania : Australia	
		<i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly	Africa : Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe	
27	Markisa (Granadilla or Passion fruit), <i>Passiflora quadrangularis</i> , <i>Passiflora</i> spp.	<i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly	America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.	Buah Markisa (Granadilla or Passion fruit), <i>Passiflora quadrangularis</i> , <i>Passiflora</i> spp. dan Tanah (soil)
	<i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i> = <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela		
	<i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly	Oceania : Australia		

		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D.ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia.</p> <p>Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Morocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>	
		<p><i>Rioxa pornia</i> (Welder.); Diptera: Tephritidae; Icelandian fruitfly</p>	<p>Oceania: Australia, , France Polynesia, New Caledonia, Fiji, Samoa America.</p>	
28	Murbei (Mulberry), <i>Morus</i> spp.	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D.ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	<p>Buah Murbei (Mulberry Fruit), <i>Morus</i> spp. dan Tanah (soil)</p>

		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
29	Nangka (Jackfruit), <i>Artocarpus integra</i> , <i>Artocarpus</i> spp.	<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	Asia: Sri Lanka	Buah Nangka (Jackfruit Fruit), <i>Artocarpus integra</i> , <i>Artocarpus</i> spp. dan Tanah (soil)
		<p><i>Bactrocera philippinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillippines fruitfly</p>	Asia: The Philippines	
30	Nona (Bullock's heart), <i>Annona reticulata</i> Sirsak (Soursop),	<p><i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotaxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i></p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	<p>Buah Nona (Bullock's heart Fruit), <i>Annona reticulata</i> Buah Sirsak (Soursop Fruit), <i>Annona muricata</i></p>

<p><i>Annona muricata</i> Sarikaya (Sweetsop), <i>Annona squamosa</i></p>	<p>=<i>Anastrepha peruviana</i> =<i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>		<p>Buah Sarikaya (Sweetsop Fruit), <i>Annona squamosa</i> dan Tanah (soil)</p>
	<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	
	<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
	<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	
	<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	<p>Asia: Sri Lanka</p>	
	<p><i>Bactrocera psidii</i> (Frog); (= <i>Dacus psidii</i> = <i>D. ornatissimus</i> = <i>D. virgatus</i> = <i>Strumeta psidii</i> = <i>Tephritis psidii</i>); Diptera: Tephritidae; southsea guava fruitfly</p>	<p>Oceania: New Caledonia</p>	
	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
	<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia,</p>	

			<p>Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia.</p>	
		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P.giffardi</i> = <i>P.giffardi</i> var. <i>sarcocephali</i> = <i>P.parinarii</i> = <i>P.sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango fruitfly, marula fruitfly</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagascar, Malawi, Mali, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	
31	<p>Pepaya (Pawpaw or Fructa bomba), <i>Carica papaya</i></p>	<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	<p>Buah Pepaya (Pawpaw or Fructa bomba Fruit), <i>Carica papaya</i> dan Tanah (soil)</p>

	<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	Oceania: Australia
	<p><i>Bactrocera kandiensis</i> Drew & Hancock; (= <i>Bactrocera</i> sp. near <i>dorsalis</i>); Diptera: Tephritidae; Sri Lankan fruitfly</p>	Asia: Sri Lanka
	<p><i>Bactrocera passiflorae</i> (Frog); (= <i>Bactrocera passiflorae</i> = <i>Chaetodacus passiflorae</i> = <i>Dacus passiflorae</i> = <i>Strumeta passiflorae</i>); Diptera: Tephritidae; Fijian fruitfly</p>	Oceania: Fiji, Niue, Tonga, Tuvalu, Wallis-Futuna
	<p><i>Bactrocera philipinensis</i> Drew & Hancock; Diptera: Tephritidae; Phillipines fruitfly</p>	Asia: The Philippines
	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	Oceania: Australia, Polynesia France, New Caledonia.
	<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia.</p> <p>Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda,</p>

			Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania : Australia	
		<i>Toxotrypana curvicauda</i> Gerst.; (=Mikimyia furcifera =Toxotrypana fairbatesi); Diptera: Tephritidae papaya fruitfly	America : Bahamas, Belize, Colombia, Costa Rica, Cuba, Dominica, El Salvador, Guatemala, Haiti, Honduras, Mexico, Antilles Netherlands, Nikaragua, Panama, Puerto Rico, Saint Kitts & Nevis, Trinidad-Tobago, USA, Virgin Island, Venezuela.	
32	Persik (Peach), <i>Prunus persica</i>	<i>Anastrepha fraterculus</i> (Wied).; (=Acrotoxa fraterculus =Anastrepha braziliensis =Anthomyia frutalis =Dacus fraterculus =Tephritis mellea =Trypeta fraterculus =Trypeta unicolor =Anastrepha peruviana =A.soluta); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Persik (Peach Fruit), <i>Prunus persica</i> dan Tanah (soil)
		<i>Anastrepha serpentina</i> Wied.; (=Dacus serpentinus =Leptoxys serpentina =Acrotoxa serpentina =Trypeta serpentina =Urophora vittithorax); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly	America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela	
		<i>Bactrocera psidii</i> (Frog); (=Dacus psidii =D.ornatissimus =D.virgatus =Strumeta psidii =Tephritis psidii); Diptera: Tephritidae; southsea guava fruitfly	Oceania : New Caledonia	

		<p><i>Bactrocera pyrifolia</i> Drew & Hancock; Diptera: Tephritidae; pyrifolia fruitfly</p>	<p>Asia: Thailand</p>	
		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
		<p><i>Ceratitis cosyra</i> (Wlk.); (= <i>Ceratitis giffardi</i> = <i>Pardalaspis cosyra</i> = <i>P. giffardi</i> = <i>P. giffardi</i> var. <i>sarcocephali</i> = <i>P. parinari</i> = <i>P. sarcocephali</i> = <i>Trypeta cosyra</i>); Diptera: Tephritidae; mango fruitfly, marula fruitfly</p>	<p>Africa: Angola, Benin, Botswana, Burkina Faso, Cameroon, Africa Tengah, Democratic Republic of Congo, Ivory Coast, Guinea, Kenya, Madagaskar, Malawi, Mali, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Zambia, Zimbabwe.</p>	

	<p><i>Ceratitis quinaria</i> (Bezzi); (=Pardalaspis quinaria); Diptera: Tephritidae; Rhodesian fruitfly</p>	<p>Asia: Yemen Africa: Botswana, Malawi, Namibia, South Africa, Sudan, Zimbabwe</p>	
	<p><i>Ceratitis rosa</i> Karsch.; (=Pterandrus rosa); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
	<p><i>Rhagoletis cerasi</i> L.; (=Musca cerasi =Rhagoletis cerasi fasciata =R.cerasi nigripes =R.cerasi obsoleta =R.obsoleta =Spilographa cerasi =Tephritis cerasi =Trypeta signata =Urophora cerasorum =Urophora liturata); Diptera: Tephritidae; European ceri fly, ceri fruitfly</p>	<p>Asia: Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan Europe: Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia</p>	
	<p><i>Rhagoletis cingulata</i> (Loew.); (=Trypeta cingulata); Diptera: Tephritidae; ceri fruitfly</p>	<p>America : Canada, Mexico, USA</p>	
	<p><i>Rhagoletis fausta</i> Osten Sacken; (=Acidia fausta =Rhagoletis intrudens =Trypeta (Acidia) fausta =T.fausta); Diptera: Tephritidae; black (dark) ceri fruitfly</p>	<p>America : Canada, USA</p>	
	<p><i>Rhagoletis pomonella</i> Walsh.; (=Rhagoletis symphoricarpi =Spilographa pomonella =Trypeta pomonella =Zonosema pomonella); Diptera: Tephritidae; apple maggot fly, railroad worm</p>	<p>America : Canada, Mexico, USA</p>	
	<p><i>Rioxa pornia</i> (Welder.); Diptera: Tephritides; Icelandian fruitfly</p>	<p>Oceania: Australia, , France Polynesia, New Caledonia, Fiji, Samoa America.</p>	

33	Pir (Pear), <i>Pyrus communis</i>	<p><i>Anastrepha fraterculus</i> (Wied.); (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly</p>	<p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Ecuador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.</p>	Buah Pir (Pear Fruit), <i>Pyrus communis</i> dan Tanah (soil)
		<p><i>Anastrepha ludens</i> (Loew); (= <i>Acrotoxa ludens</i> = <i>Trypeta ludens</i>); Diptera: Tephritidae; Mexican fruitfly</p>	<p>America : Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nikaragua, USA.</p>	
		<p><i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i> = <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly</p>	<p>America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Ecuador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Kep Virgin, Venezuela</p>	
		<p><i>Anastrepha serpentina</i> Wied.; (= <i>Dacus serpentinus</i> = <i>Leptoxys serpentina</i> = <i>Acrotoxa serpentinus</i> = <i>Trypeta serpentina</i> = <i>Urophora vittithorax</i>); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	<p>America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Ecuador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela</p>	
		<p><i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.</p>	
		<p><i>Bactrocera jarvisi</i> (Tryon.); (= <i>Afrodacus jarvisi</i> = <i>Dacus jarvisi</i> = <i>D. australis</i> = <i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	

		<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
		<p><i>Rhagoletis cerasi</i> L.; (= <i>Musca cerasi</i> = <i>Rhagoletis cerasi fasciata</i> = <i>R. cerasi nigripes</i>)</p>	<p>Asia: Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan</p>	

		<p>=<i>R.cerasi obsoleta</i> =<i>R.obsoleta</i> =<i>Spilographa cerasi</i> =<i>Tephritis cerasi</i> =<i>Trypeta signata</i> =<i>Urophora cerasorum</i> =<i>Urophora liturata</i>); Diptera: Tephritidae; European ceri fly, ceri fruitfly</p>	<p>Europe: Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia</p>	
		<p>Rhagoletis cingulata (Loew.); (= <i>Trypeta cingulata</i>); Diptera: Tephritidae; ceri fruitfly</p>	<p>America : Canada, Mexico, USA</p>	
		<p>Rhagoletis fausta Osten Sacken; (= <i>Acidia fausta</i> =<i>Rhagoletis intrudens</i> =<i>Trypeta (Acidia) fausta</i> =<i>T.fausta</i>); Diptera: Tephritidae; black (dark) ceri fruitfly</p>	<p>America : Canada, USA</p>	
		<p>Rhagoletis pomonella Walsh.; (= <i>Rhagoletis symphoricarpi</i> =<i>Spilographa pomonella</i> =<i>Trypeta pomonella</i> =<i>Zonosema pomonella</i>); Diptera: Tephritidae; apple maggot fly, railroad worm</p>	<p>America : Canada, Mexico, USA</p>	
		<p>Rioxa pornia (Welder.); Diptera: Tephritides; Icelandian fruitfly</p>	<p>Oceania: Australia, , France Polynesia, New Caledonia, Fiji, Samoa America.</p>	
34	Pisang (Banana, Plantain), <i>Musa</i> spp.	<p>Bactrocera jarvisi (Tryon.); (= <i>Afrodacus jarvisi</i> =<i>Dacus jarvisi</i> =<i>D.australis</i> =<i>Chaetodacus jarvisi</i>); Diptera: Tephritidae; Fiji fruitfly, Jarvis's fruitfly</p>	<p>Oceania: Australia</p>	Buah Pisang (Banana, Plantain Fruit), <i>Musa</i> spp. dan Tanah (soil)
		<p>Bactrocera tryoni (Frog.); (= <i>Bactrocera tryoni</i> =<i>Chaetodacus sarcocephali</i> =<i>Chaetodacus tryoni</i> =<i>Dacus tryoni</i> =<i>D.ferrugineus tryoni</i> =<i>Strumeta melas</i> =<i>Strumeta tryoni</i> =<i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p>Bactrocera tsuneonis (Miyake); (= <i>Dacus cheni</i> =<i>D.tsuneonis</i> =<i>Tetradacus tsuneonis</i>); Diptera: Tephritidae; Japanese orange fly, citrus fruitfly</p>	<p>Asia: Cina, Japan, Vietnam</p>	

		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania: Australia</p>	
		<p><i>Rioxa pornia</i> (Welder.); Diptera: Tephritides; Icelandian fruitfly</p>	<p>Oceania: Australia, , France Polynesia, New Caledonia, Fiji, Samoa America</p>	
35	Plum (Plum), <i>Prunus domesticum</i>	<p><i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D.ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	Buah Plum (Plum Fruit), <i>Prunus domesticum</i> dan Tanah (soil)
		<p><i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly</p>	<p>Europe: Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia: Israel, Yordania, Lebanon, Saudi Arabia,</p>	

		<p>Syria, Turkey, Yemen</p> <p>Africa: Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagascar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe.</p> <p>America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela.</p> <p>Oceania: Australia</p>		
		<p><i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.</p>	
		<p><i>Rhagoletis cerasi</i> L.; (= <i>Musca cerasi</i> = <i>Rhagoletis cerasi fasciata</i> = <i>R. cerasi nigripes</i> = <i>R. cerasi obsoleta</i> = <i>R. obsoleta</i> = <i>Spilographa cerasi</i> = <i>Tephritis cerasi</i> = <i>Trypeta signata</i> = <i>Urophora cerasorum</i> = <i>Urophora liturata</i>); Diptera: Tephritidae; European ceri fly, ceri fruitfly</p>	<p>Asia: Georgia, Iran, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey, Turkmenistan, Uzbekistan</p> <p>Europe: Austria, Belgium, Bulgaria, Croatia, Czech, Slovakia, Denmark, Estonia, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Moldova, Netherlands, Norwegia, Polandia, Portugal, Romania, Russian Federation, Spain, Swedia, Swiss, Ukraina, Yugoslavia</p>	
		<p><i>Rhagoletis cingulata</i> (Loew.); (= <i>Trypeta cingulata</i>); Diptera: Tephritidae; ceri fruitfly</p>	<p>America : Canada, Mexico, USA</p>	

		<i>Rhagoletis fausta</i> Osten Sacken; (= <i>Acidia fausta</i> = <i>Rhagoletis intrudens</i> = <i>Trypeta (Acidia) fausta</i> = <i>T. fausta</i>); Diptera: Tephritidae; black (dark) ceri fruitfly	America : Canada, USA	
		<i>Rhagoletis pomonella</i> Walsh.; (= <i>Rhagoletis symphoricarpi</i> = <i>Spilographa pomonella</i> = <i>Trypeta pomonella</i> = <i>Zonosema pomonella</i>); Diptera: Tephritidae; apple maggot fly, railroad worm	America : Canada, Mexico, USA	
		<i>Rioxa pornia</i> (Welder.); Diptera: Tephritidae; Icelandian fruitfly	Oceania : Australia, , France Polynesia, New Caledonia, Fiji, Samoa America.	
36	Rambutan (Rambutan), <i>Nephelium lappaceum</i>	<i>Bactrocera tryoni</i> (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania : Australia, Polynesia France, New Caledonia.	Buah Rambutan (Rambutan Fruit), <i>Nephelium lappaceum</i> dan Tanah (soil)
37	Sawo (Sapodilla), <i>Achras zapota</i> , <i>Manilkara kauki</i>	<i>Anastrepha fraterculus</i> (Wied).; (= <i>Acrotoxa fraterculus</i> = <i>Anastrepha braziliensis</i> = <i>Anthomyia frutalis</i> = <i>Dacus fraterculus</i> = <i>Tephritis mellea</i> = <i>Trypeta fraterculus</i> = <i>Trypeta unicolor</i> = <i>Anastrepha peruviana</i> = <i>A. soluta</i>); Diptera: Tephritidae; South American fruitfly, West Indian fruitfly	America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, Guatemala, Guyana, Mexico, Panama, Paraguay, Peru, Suriname, Trinidad-Tobago, USA, Uruguay, Venezuela.	Buah Sawo (Sapodilla Fruit), <i>Achras zapota</i> , <i>Manilkara kauki</i> dan Tanah (soil)
		<i>Anastrepha obliqua</i> (Macq); (= <i>Acrotoxa obliqua</i> = <i>Anastrepha fraterculus</i> var. <i>ligata</i> = <i>A. fraterculus</i> var. <i>mombinpraeoptans</i> = <i>A. mombinpraeoptans</i> = <i>Tephritis obliqua</i> = <i>A. acudisa</i> = <i>A. trinidadensis</i> = <i>Trypeta obliqua</i>); Diptera: Tephritidae; West Indian fruitfly, Antillean fruitfly	America : Argentina, Bahamas, Barbados, Belize, Brazil, Virgin Island, Colombia, Costa Rica, Cuba, Dominica, Dominica, Equador, Grenada, Guadeloupe, Guatemala, Guyana, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nikaragua, Panama, Paraguay, Peru, Puerto Rico, Saint Kitts & Nevis, Saint Lucia, Suriname, Trinidad-Tobago, Venezuela	

		<p>Anastrepha serpentina Wied.; (=Dacus serpentinus =Leptoxys serpentina =Acrotaxa serpentinus =Trypeta serpentina =Urophora vittithorax); Diptera: Tephritidae; sapodilla fruitfly, sapote fruitfly, dark fruitfly, black fruitfly, orange fruitfly</p>	<p>America : Argentina, Brazil, Colombia, Costa Rica, Dominica, Equador, Guyana France, Guatemala, Guyana, Mexico, Antilles Netherlands, Panama, Peru, Suriname, Trinidad-Tobago, USA, Venezuela</p>	
		<p>Anastrepha suspensa Loew.; (=Anastrepha unipuncta =Trypeta suspensa); Diptera: Tephritidae; Caribbean fruitfly</p>	<p>America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerb Rico, USA.</p>	
		<p>Bactrocera tryoni (Frog.); (=Bactrocera tryoni =Chaetodacus sarcocephali =Chaetodacus tryoni =Dacus tryoni =D.ferrugineus tryoni =Strumeta melas =Strumeta tryoni =Tephritis tryoni); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	
		<p>Bactrocera philippinensis Drew & Hancock; Diptera: Tephritidae; Phillippines fruitfly</p>	<p>Asia: The Philippines</p>	
		<p>Ceratitis rosa Karsch.; (=Pterandrus rosa); Diptera: Tephritidae; Natal fruitfly</p>	<p>Africa: Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe</p>	
38	Terung (Aubergine, Eggplant), <i>Solanum melongena</i>	<p>Bactrocera tryoni (Frog.); (=Bactrocera tryoni =Chaetodacus sarcocephali =Chaetodacus tryoni =Dacus tryoni =D.ferrugineus tryoni =Strumeta melas =Strumeta tryoni =Tephritis tryoni); Diptera: Tephritidae; Queensland fruitfly</p>	<p>Oceania: Australia, Polynesia France, New Caledonia.</p>	<p>Buah Terung (Aubergine, Eggplant Fruit), <i>Solanum melongena</i> dan Tanah (soil)</p>

39	Tomat (Tomato), <i>Lycopersicum esculentum</i>	<i>Anastrepha suspensa</i> Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA.	Buah Tomat (Tomato Fruit), <i>Lycopersicum esculentum</i> dan Tanah (soil)
		<i>Ceratitis capitata</i> Wied; (= <i>Ceratitis citriperda</i> = <i>Ceratitis hispanica</i> = <i>Tephritis capitata</i>); Diptera: Tephritidae; Mediterranean fruitfly, medfly	Europe : Albania, Croatia, Cyprus, France, Greece, Italy, Malta, Portugal, Russian Federation, Slovenia, Spain, Swiss, Yugoslavia. Asia : Israel, Yordania, Lebanon, Saudi Arabia, Syria, Turkey, Yemen Africa : Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Democratic Republic of Congo, Kongo, Ivory Coast, Egypt, Ethiopia, Gabon, Ghana, Guinea, Kenya, Liberia, Libya, Madagaskar, Malawi, Mali, Mauritius, Marocco, Mozambique, Niger, Nigeria, Réunion, Saint Helena, Sao Tome & Principe, Senegal, Seychelles, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Tunisia, Uganda, Zimbabwe. America : Argentina, Bolivia, Brazil, Colombia, Costa Rica, Equador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Antilles Netherlands, Nikaragua, Panama, Paraguay, Peru, USA, Uruguay, Venezuela. Oceania : Australia	
		<i>Ceratitis rosa</i> Karsch.; (= <i>Pterandrus rosa</i>); Diptera: Tephritidae; Natal fruitfly	Africa : Angola, Democratic Republic of Congo, Ethiopia, Guinea, Kenya, Malawi, Mali, Mauritius, Mozambique, Nigeria, Rwanda, Réunion, South Africa, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.	
		<i>Rioxa pornia</i> (Welder.); Diptera: Tephritidae; Icelandian fruitfly	Oceania : Australia, , France Polynesia, New Caledonia, Fiji, Samoa America	

40	Zaitun (Olive), <i>Olea europea</i> subsp. <i>europea</i>	Bactrocera tryoni (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.	Buah Zaitun (Olive Fruit), <i>Olea europea</i> subsp. <i>europea</i> dan Tanah (soil)
41	Mentimun dan kelompok Cucurbita lainnya <i>Cucurbitaceae</i>	Bactrocera ciliatus Loew.; (= <i>Dacus caryae</i>); Diptera: Tephritidae; lesser melon fly	Asia: Pakistan, India, Bangladesh, Sri Lanka, Saudi Arabia, Yaman, Iran Africa: Angola, Botswana, Cameroon, Chad, Dahomey, Egypt, Ethiopia, Ghana, Guinea, Kenya, Lesotho, Malawi, Mozambique, Nigeria, Senegal, Sierra Leone, Somalia, South Africa, Africa Barat Daya, Sudan, Tanzania, Uganda, Zaire, Zambia, Zimbabwe, Madagaskar, Mauritius, Reunion.	Buah Mentimun dan kelompok Cucurbita lainnya <i>Cucurbitaceae</i> dan Tanah (soil)
		Bactrocera depressa (Shiraki); (= <i>Bactrocera (Paradacus) depressa</i> = <i>B. depressus</i> = <i>Dacus depressus</i> = <i>Paradacus depressus</i> = <i>Zeugodacus depressus</i>); Diptera: Tephritidae; fruitfly	Asia: Cina (Taiwan), Japan, Korea	
		Bactrocera tryoni (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.	
42	Paria (Bitter gourd, Balsam apple), <i>Momordica charantia</i>	Anastrepha suspensa Loew.; (= <i>Anastrepha unipuncta</i> = <i>Trypeta suspensa</i>); Diptera: Tephritidae; Caribbean fruitfly	America : Virgin Island, Cuba, Dominica, Guyana France, Haiti, Jamaica, Puerto Rico, USA	Buah Paria (Bitter gourd Fruit, Balsam apple Fruit), <i>Momordica charantia</i> dan Tanah (soil)
		Bactrocera tryoni (Frog.); (= <i>Bactrocera tryoni</i> = <i>Chaetodacus sarcocephali</i> = <i>Chaetodacus tryoni</i> = <i>Dacus tryoni</i> = <i>D. ferrugineus tryoni</i> = <i>Strumeta melas</i> = <i>Strumeta tryoni</i> = <i>Tephritis tryoni</i>); Diptera: Tephritidae; Queensland fruitfly	Oceania: Australia, Polynesia France, New Caledonia.	



MENTERI PERTANIAN,

ANTON APRIYANTONO